	JCU8-8		SCANNED A	TY Patent of the Conference of	Applic	ation	DATE		NUMBER
	APPLICATION NO. 09/975122	CONT/PRIOR D F	CLASS 235	SUBCLASS 437.000	ART UN 2876		EXAMINER	c4, k	
]	Marc Dymetm Max Copperm Max have med Marking med through net	nan dium ares	a with enc	oded iden	tifie	r for	produci	ing act:	
7	The same and the same and								PTO-2040 12/99
								Massay Maria	
	constima		T VING	CLASSIFI	3 (3)	A 2 4 4 5 4 5 4 5 4 5 5 5 5 5 5 5 5 5 5 5	1.33	200	Control of the second
	Carenna .		1.3-5			EFERENC		\$ \$ \$\$\$***	第 3747
4	GARA TA	UBCL'ASS	CLASS >	SUBCL	A88 (O	NE SUBCI	LASS PER I	iLOCK)∜√.	A Property
	TERNATIONAL CLAS	\$45 447 A		1 (18)	1. 1° (*)	F. 4. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.			
	HERNATIONAL CEAS	SIFICATION:	Estate of the	1 6 3 5 7 9	\$ 2		1273	医尿道炎	12.
		Even demonstrate m	Compression and the second	* ***	# # p. 104, 44	表示的	一种的。		
		全大学 (マー) ***				2)(\$2)	A 等其基金。		A CONTRACTOR
900	A ME TO THE STATE OF	\$194424 (2.7)	Take Street	1 2 to 1 t		are strate	A KANAMAN	\$ 1500 B	A STATE OF THE
1. T.		<u>#638.55-11-0-1</u> #875.#1-6.50				Continued	on Issue Slip	Ineldo Ello Is	A 1.7
10.0	25.2° 2.7° 2.7°					Contanued	On issue Sup	TISION FIRE DE	CKet
(<u>(</u>	TERMINAL	1.080 x 2 40 2130 x 2		Audinos		1			
DISCI AIMED			DRAWINGS eets Drwg. Figs. Drwg. Print Fig.			CLAIMS ALLOWED Total Claims Print Claim for O.G.			
subsequent to(date) has been disclaimed.			-			NOTI	CE OF ALL	OWNIOE W	MILED .
has	been disclaimed. The term of this patent st	(date)	(Assistant Exam		(Date)	NOTI	CE OF ALL	NAITOE II	/ les